
NEMA Nomenclature

The NEMA (National Electrical Manufacturers Association) pattern and numbering system is made up of four main identifiers. The first identifier can be a blank space or have the letter L. This determines whether it is a straight or locking blade device. In the case of a 5-15 plug, the plug is a straight blade device. There is no identifier for straight blade devices. If there were an L prior to the number, such as L5-15, it would mean the plug is a locking plug.

The second identifier is a number. The first number in a NEMA listing determines the voltage rating. A 5 represents a voltage rating of 125 VAC, while a 6 identifies a rating of 250 VAC. The rating given is the highest voltage allowed for use with the device by the standard.

The third identifier is a number and identifies the amperage rating of the device. In the case of a NEMA 5-15, the amperage rating is 15 amps. The amperage rating, like the voltage rating, is the highest amperage allowed for use with the device by the standard.

The fourth identifier is a letter. This identifier determines whether the device is a plug, P, or a receptacle/outlet, R. Thus, an L5-15P is a locking 125 volt, 15 amp, plug. A 5-20R is a straight blade, 125 volt, 20 amp, receptacle or outlet. In the case of the equipment in our problem, we would need a NEMA 6-15 configuration.





U.S.A.

P.O. Box 115, Oskaloosa, IA 52577

United States/Canada, Puerto Rico, Virgin Islands

Toll-Free Phone: (800) 662-2290 • Toll-Free Fax: (800) 645-5360 International

Phone: (641) 673-5000 • Fax: (641) 673-5100

E-mail: sales@interpower.com

UK

10 Kelvin Drive • Knowlhill, Milton Keynes Buckinghamshire MK5 8NH

UK, Ireland, Germany, Switzerland, Austria

Freephone: 00800 5566 5566 • Freefax: 00800 5655 5655 International

Phone: +44 (0)1908 295300 • Fax: +44 (0)1908 295301 **E-mail:** uk@interpower.com

Rev. 5-18